

PHARMA PROGRAM

Cleanroom Hygiene Solutions for Pharma and Biotechnology





WE ENSURE THE

SAFETY OF YOUR PRODUCTION

With Benchmark Solutions for Optimal Cleanroom Hygiene in Pharma & Biotech

By way of introduction, we refer to the following basic information on cleanroom operations and the descriptions of best practice in cleanroom hygiene:

- _GMP Guideline, especially Annex 1.
- _VDI guideline 2083, e. g. sheet 9.2 for consumables
- _Pharmaceuticals Act § 13
- ISO 14644-1

In addition, some further explanations:

Materials which are brought into the cleanroom should not themselves be a source of contamination, they should have a high cleanroom suitability and cleanliness level.

All procedures should be defined in a written program (SOP). Personnel must be trained on a regular basis. Products which are ready presaturated with disinfectant offer significant handling advantages. Manual impregnation is no longer

necessary (for mops by trolley, for wipes by spraying) and each textile is evenly and correctly saturated.

For critical GMP A/B areas (workbenches / isolators) products are recommended that have an extremely low particle emission level. As a rule, this can only be achieved by prelaundering. Nonwoven wipes are not prewashed and should therefore not be used in GMP A/B areas. All products that are introduced into A/B areas must be sterile. This applies in particular also to cleaning and disinfection fluids.

Hydroflex has specifically developed a product range which meets the requirements for use in these areas – combining excellent performance with maximum cleanroom suitability.

CONTENT

Sterile areas

GMP A areas:	
RABS isolators LAF workbenches	
GMP B areas: floors walls ceilings	10
GMP A/B areas: cleanroom goggles	18

Non-sterile areas

GMP C+D areas: floors walls ceilings	20
GMP C+D areas: surfaces	24

FAQ 26







Isolator Cleaning Tool

PurMop® ICT is a special and compact cleaning tool for plants, isolators, RABS* and workbenches in GMP A/B areas. The tool consists of handle, frame, and disposable mop.

- Flexible stainless steel tool, durable and autoclavable
- Ideal for cleaning of hard-to-reach areas like workbenches and isolators
- Sterile and high-performance mop covers

ICT2050**

FIXED ISOLATOR CLEANING SYSTEM | STAINLESS STEEL

Set, consisting of:

- 1 piece | SEP50 stainless steel handle, 50 cm | 20" fixed
- 1 piece | MEP20 stainless steel frame, 20 cm | 8"
- Robust design, easy to clean
- Item no. 2131015

Optimal for GMP A/B

TELESCOPIC ISOLATOR CLEANING SYSTEM | STAINLESS STEEL

Set, consisting of:

- 1 piece | SET2040 stainless steel telescopic handle, 48 - 81 cm | 19 - 32"
- 1 piece | MEP20 stainless steel frame, 20 cm | 8"
- Robust design, easy to clean
- Autoclavable, suitable for sterile cleanrooms

Autoclavable, suitable for sterile cleanrooms

Handle grip for ergonomic

Quick-change clip system

cleaning

- Handle grip for ergonomic cleaning
- Quick-change clip system

Item no. 2131024

Optimal for GMP A/B

* RABS: Restricted Access Barrier Systems **Aluminium version also available (ICTA2050, ICTA2080)

DADC Lical+care LL AE windshoots

PurMop® ICT Disposable Mops


PurMop® ICT disposable mops are used in combination with the ICT cleaning tool as an innovative alternative to wipes. ICT mops guarantee best accessibility to hard-to-reach areas due to highest user safety.

PurMop®
EC
20-S

Disposable Cleanroom Mop for ICT

Polyester Knit

- High-quality and multiple material layers for high cleaning performance
- Suitable for glass and stainless steel surfaces
- Low particle emission for usage in GMP A/B areas
- _ Design allows to reach corners optimally



EC20-S [STERILE]

- _ Size: 20 cm | 8"
- Packing:
 2 mops/pack
 50 packs/carton
 [100 mops]

Item no. 2111111

Optimal for GMP A/B

PurMop® EC 20-SV II

Disposable Cleanroom Mop for ICT | Presaturated

Polyester Knit

- _ Ready-to-use, presaturated with isopropanol 65% / ethanol 5% / pharma water 30%
- _ High-quality and multiple material layers for high efficiency

Easy-tear foil pack

- Suitable for glass and stainless steel surfaces
- _ Low particle emission for usage in GMP A/B areas

Use biocidal products safely. Always read the label and product information before use!*

Biocidal products are available in selected countries only. Please contact us for more information.

EC20-SV II [STERILE]

- Presaturated with: isopropanol 65% / ethanol 5% / pharma water 30%
- _ Size: 20 cm | 8"
- Packing:
 2 mops/pack
 20 packs/carton
 [40 mops]

Item no. 2111148

Optimal for GMP A/B

PurWipe® Cleanroom Wipes

Our knitted cleanroom wipers from the PurWipe® K-Series are essential for the safe cleaning and disinfection of critical surfaces. They are characterized by an ultralow particle release due to the strict clean-manufacturing and decontamination processes. To save time and enhance user safety, we recommend our PurWipe® V-Series — these premium wipers are delivered presaturated and ready for use.

PurWipe®

Presaturated Cleanroom Wipe

Polyester Knit



- 100% polyester knit decontaminated to the highest level
- _ Heat sealed edges, low particle emission and high purity
- _ High impregnation rate for effective disinfection
- Presaturated, singularly removeable, resealable pouch

Use biocidal products safely. Always read the label and product information before use!*



V4-209-S II [STERILE]

- Presaturated with: isopropanol 65% / ethanol 5% / pharma water 30%
- Size: 23 x 23 cm | 9 x 9"
- _ Edges: heat sealed

Item no. 2186205

Optimal for GMP A/B

Packing: 20 wipes/bag 5 bags/pack 6 packs/carton [600 wipes]


_ Presaturated with:

V4-212-S II [STERILE]

- isopropanol 65% / ethanol 5% / pharma water 30%
- _ Size: 30 x 30 cm | 12 x 12"
- Edges: heat sealed

Packing:
20 wipes / bag
5 bags / pack
6 packs / carton
[600 wipes]

Optimal for GMP A/B



PurWipe®

<u>V3</u>

Presaturated Cleanroom Wipe

Polyester-Polyamide-Microfiber Nonwoven

- Ready-to-use: Presaturated in a resealed bag
- Exceptionally high tear-resistance
- 100% synthetic material (cellulose free)
- _ Excellent cleaning ability due to microfiber
- _ Particularly good particle pick-up
- _ High purity
- Individually removable at any time

Use biocidal products safely. Always read the label and product information before use!*

Presaturated with: isopropanol 65% / ethanol 5% / pharma water 30%Edges: cut

_

V3-109-S II [STERILE]

_ Size: 23 x 23 cm | 9 x 9"

Item no. 2186201

Optimal for GMP A/B

Packing:30 wipes/bag5 bags/pack4 packs/carton [600 wipes]

V3-112-S II [STERILE]

_ Size: 30 x 30 cm | 12 x 12"

Item no. 2186203

Optimal for GMP A/B

*PT2-Disinfection of hard/non-porous surfaces in cleanrooms with RTU pre-impregnated mops/wipes with mandatory prior cleaning at 18-25 °C. Make sure to wet the surfaces completely and apply the product in sufficient quantity to ensure that the surfaces remain wet during the entire incubation time.

Application Video | YouTube

PurWipe®

Cleanroom Wipe

Polyester Knit

- 100% polyester knit decontaminated for lowest particle emission
- Robust polyester double knit for high absorbency and good particle pick up
- Heat sealed edges for high purity

K1-209-S [STERILE]

- Size: 23 x 23 cm | 9 x 9"
- Edges: heat sealed
- 10 wipes/bag, 10 bags/pack 10 packs/carton

Item no. 2183203

PurWipe®

K4

Cleanroom Wipe 2-ply Polyester Knit

Optimal for GMP A/B

- [1.000 wipes]

K1-212-S [STERILE]

- Größe: 30 x 30 cm | 12 x 12"
- Edges: heat sealed
- 10 wipes/bag, 10 bags/pack 10 packs/carton [1.000 wipes]

100%

Polyester

Item no. 2183205

Optimal for GMP A/B

100% Polyester

2-ply bonded polyester, double knit

- High absorption capacity
- Low particle emission, decontaminated
- Suitable for rough surfaces, machines, equipment

K4-309-S [STERILE]

- Size: 23 x 23 cm | 9 x 9"
- 5 wipes/bag, 10 bags/pack Edges: ultrasonic sealed 10 packs / carton [500 wipes]

Packing:

- Item no. 2183601
- Optimal for GMP A/B

K4-312-S [STERILE]

- Size: 30 x 30 cm | 12 x 12"
- Edges: ultrasonic sealed
- Packing: 5 wipes/bag, 10 bags/pack 10 packs / carton [500 wipes]

Item no. 2183603

Optimal for GMP A/B

N2 VP

PurWipe®

Cleanroom Wipe

Fillpack (ready for self-filling)

Polyester-Polyamide-Microfiber Nonwoven

- Ready for saturation with the fluid of your choice
- Pouch with lid (fillpack)
- Fully synthetic microfiber nonwoven material
- The pouch and the wipes are compatible with a wide range of common cleanroom bactericides, sporicides, and detergents
- Ensures reduction of VOC by avoiding spraying of liquids
- Maximum cleaning efficiency through fine microfiber construction

N2-109-S VP [STERILE]

- Size: 23 x 23 cm | 9 x 9"
- Edges: cut

Packing: 40 wipes/bag 5 bags/pack 8 packs / carton [1.600 wipes]







Ergonomic, versatile, GMP compliant: PurMop® Cleaning Trolleys

PREPARE

Stainless Steel

The PREPARE stainless steel presaturation system is an ultra-compact and mobile bucket system for presaturating mops and has a 2-bucket design. By pouring cleaning / disinfecting fluid over the mops in the bucket, these can be quickly and easily saturated before usage in the cleanroom. While one bucket is for the storage of fresh mops, the other is designed to hold the discarded, used mops.



PREPARE

ULTRA-COMPACT PRESATURATION SYSTEM

- 2 x 8.5 l buckets with handles
- Stainless steel sieve for fluid
- Stainless steel mop carrier for easy pickup of the mops
- Easy saturation by pouring from
- Dimensions (LxWxH): 53 x 32 x 31 cm | 21 x 13 x 12"
- Weight: 8 kg | 18 lbs

Item no. 2124001

Optimal for GMP A/B

PurMop®

2.0 **ERGO-S 205-F**

Foldable Cleanroom Cleaning System with Dosing Unit and Foldable Handle

Stainless Steel

Compact, touchless cleanroom cleaning system with stainless steel buckets and foldable handle. In combination with our user-friendly accessories and a selection of our PurMop® disposable or reusable mops, this system combines ergonomic handling with a durable, cleanroom suitable design. The innovative mop wetting device guarantees reproducible results and avoids excess fluid.



2.0 ERGO-S 205-F

FOLDABLE CLEANROOM CLEANING SYSTEM WITH DOSING UNIT AND FOLDABLE HANDLE

- 1 stainless steel bucket 18 l with mop carrier (front | for new
- 1 stainless steel bucket 18 l with mop wetting device (centered | for fluid)
- Bag holder with clips for MB18-R/S (centered | for mop discard)
- Mop discarding mechanism
- Handle holder (rear)
- Dimensions (LxWxH): 65 x 70 x 94 cm | 26 x 28 x 37"
- Height (folded handle): 72 cm | 28"
- Weight: 20 kg | 44 lbs

Item no. 2123030

Optimal for GMP A/B

13

PurMop® Handles & Frames

Smooth, polished stainless steel surfaces ensure maximum GMP conformity and long-term resistance against steam sterilization. Designed for touch free handling, with modular and screwless connections, PurMop® equipment ensures optimal ergonomics in cleanroom cleaning.

PurMop®



SEP140

HANDLE I FIXED

- Autoclavable, suitable for sterile cleanrooms
- Quick change system
- With ergonomic handle grip
- Length: 142 cm | 56" (fixed)

Item no. 2131003

Optimal for GMP A/B

SET2070

TELESCOPIC HANDLE | MEDIUM LENGTH

- Autoclavable, suitable for sterile cleanrooms
- Quick change system
- With ergonomic handle grip
- Length: 77 cm 145 cm | 30 57" (stepless adjustable)

Item no. 2131006

Optimal for GMP A/B

SET2100

TELESCOPIC HANDLE |

LONG

- Autoclavable, suitable for sterile cleanrooms
- Quick change system
- With ergonomic handle grip
- Length: 107 cm -205 cm | 42 81" (stepless adjustable)

Item no. 2131005

Optimal for GMP A/B

PurMop®



Stainless Steel




KEK40 / KEK40 Light MOP FRAME | FOLDABLE

- Autoclavable and disinfectant resistant
- Quick change system
- Lockable for cleaning of walls and ceilings

Item no. 2151008

Optimal for GMP A/B



PurMop® Mops 40 cm | 16" For touch free discard with ERGO / GO System

KEK40 Light:

Like KEK40, but lightweight through material reduction

Item no. 2151014

Optimal for GMP A/B

KEU40

MOP FRAME | FOLDABLE

- Autoclavable and disinfectant resistant
- Quick change system
- Suitable with:
- PurMop® Mops 40 cm | 16"

Item no. 2151003

Optimal for GMP A/B

PurMop® Disposable Mops | E-Series

Our disposable mops are designed for single use in cleanrooms and guarantee maximum performance and safety due to their high-performance microfiber materials. The innovative E-Series is processed under high quality standards under cleanroom conditions and packaged according to cleanroom requirements. All our disposable mops are available in a validated sterile format and are delivered with full certification including Certificate of Irradiation and Certificate Of Analysis.

PurMop®

EF 40-S

Disposable Cleanroom Mop

Polyester-Microfiber


- 3D pile structure for high absorption capacity
- Excellent cleaning ability due to specially developed microfiber technology
- High area performance through multiple fluid absorbing inserts
- Ergonomic handling due to good gliding properties on almost all floor types

EF40-S [STERILE]

- Size: 40 cm | 16"
- Packing: 5 mops/pack 20 packs / carton [100 mops]

Item no. 2111109

Optimal for GMP A/B



PurMop®

EFB 40-S

Disposable Cleanroom Mop

Polyester-Microfiber + Scrub Stripes

- 3D pile structure for high absorption capacity
- Maximum cleaning efficiency due to alternating microfiber + brush material combination
- High area performance through multiple fluid absorbing inserts
- Excellent gliding properties

EFB40-S [STERILE]

- Size: 40 cm | 16"
- Packing: 5 mops/pack 20 packs / carton [100 mops]

Item no. 2111118

Optimal for GMP A/B

70% Polyester-Microfiber 30% Polyester-Microfiber Scrub Stripes



Presaturated Disposable Cleanroom Mop

Polyester-Microfiber

- Ready-to-use, presaturated with isopropanol 65% / ethanol 5% / pharma water 30%
- Exceptional cleaning performance due to high-tech microfiber
- High area performance due to special fluid reservoir
- Good gliding and handling properties on most flooring types
- Also suitable for glass and stainless steel surfaces

EF40-SV II [STERILE]

Presaturated with isopropanol 65% / ethanol 5% / pharma water 30%

EF40-SV-2P II [STERILE]

isopropanol 65% / ethanol 5% /

Presaturated with

pharma water 30%

Size: 40 cm | 16"

Size: 40 cm | 16"

4 mops/pack 14 packs / carton

[56 mops]

65%

isopropanol

5%

ethanol

30%

pharma water

Item no. 2111149 Optimal for GMP A/B

Item no. 2111150

Optimal for GMP A/B

Packing:

[50 mops]

2 mops/pack 25 packs/carton

Use biocidal products safely. Always read the label and product information before use!*

Biocidal products are available in selected countries only. Please contact us for more information.



EF40-SV-2P II 2 mops / pack 0222093E4



PurMop® Presaturated

V-Series

Disposable Cleanroom Mops |

PurMop® V-Series: The fastest and safest way to clean a

cleanroom! With our Ready-2-Use presaturated disposable

mops, we offer an innovative solution that makes cleanroom

this innovative solution, there is no need for a trolley system,

cleaning considerably easier, especially in small areas. With

no preparation time, and no risk of a wrong fluid mixture.

Microfiber mops with high cleaning performance

Delivered presaturated and ready-to-use

Particularly suitable for small cleanrooms

Can be used without additional cleaning trolley

Enables super quick and flexible usage

Correct fluid level in each mop



→ FAQ | p. 27





CLEANROOM GOGGLES

PurGuard EV-100/101

Disposable Goggles

- Soft and comfortable frame material
- Robust lens material, resistant to disinfectants
- Direct/indirect ventilation at the top/bottom
- Adjustable silicone headband, latex-free
- CE certified

EV-100 / EV-101 [STERILE]

- Size: one size
- PVC frame, coated PC lens, silicone headband
- EO (Ethylene Oxide) sterilized, due to ISO 11135
- 1 pair of goggles / pouch 10 pouches / pack 5 packs / carton [50 goggles]

Item no. 2961004

Optimal for GMP A/B

Anti-fog coating

EV-101: Special clip for easy length adjustment of

EV-101 Special clip for easy length

adjustment

Item no. 2961005 Optimal for GMP A/B

EV-100

PurGuard Cleanroom Goggles

The PurGuard portfolio consists of specially developed cleanroom goggles for the use in sterile GMP cleanrooms, with reusable as well as single-use options. Our goggles are certified in compliance with international standards, for optimal user

PurGuard SV-801-AF

- Very soft and comfortable frame material, adjustable silicone headband
- Side buckle for easy adjustment of the headband
- Robust lens material, resistant to disinfectants
- Indirect or direct ventilation possible: with or without ventilation clips
- Fully autoclavable, CE certified

SV-801-AF

- Size: one size Frame made of thermoplastic rubber, coated polycarbonate lens
- Silicone headband, latex-free Anti-fog coating
- Packing: 1 pair of goggles/bag 10 bags/box [SU = 10 goggles] 10 boxes/carton [100 goggles]

Anti-fog coating

Item no. 2962008 Optimal for GMP A/B

PurGuard

SV-900-AF

Reusable Goggles

- Panoramic lens for wide, unobstructed vision
- Very soft and comfortable frame material
- Robust lens material, resistant to disinfectants
- Special ventilation concept
- Suitable for wear over prescription glasses
- Fully autoclavable, CE certified

SV-900-AF

- Size: one size
- Frame made of thermoplastic rubber, coated polycarbonate lens
- Silicone headband, latex-free Anti-fog coating
- 1 pair of goggles / bag 10 bags/box [SU = 10 goggles] 10 boxes/carton [100 goggles]

Anti-fog coating

Item no. 2962011

Optimal for GMP A/B



The PurMop® ERGO-System – Clever Cleanroom Cleaning



Touchless Performance

Completely touchless handling of the mopping process in just three steps.



Reproducible Processes thanks to an innovative wetting system which enables the application of a defined amount of liquid (detergents / disinfectants) onto the mop in one single step.



Advanced ERGOnomics requires the least user effort, eliminates the need for bending down or lifting heavy buckets.



2.0 ERGO-S 230

PurMop®

ERGO

Mop Dosage System

Stainless Steel | Plastic

CLEANROOM CLEANING SYSTEM WITH DOSING UNIT

- 1 stainless steel bucket 18 l with mop carrier (front | for new mops)
- 1 stainless steel bucket 18 l with mop wetting device (center | for fluid)
- 1 stainless steel bucket 18 l (rear | for mop discarding)
- 2 stainless steel buckets each 5 I (above | for storage)
- Stainless steel discarding
- Handle holder (side) and waste bag holder (rear)
- Dimensions (LxWxH)*: 65 x 70 x 102 cm | 26 x 28 x 40"
- Weight: 27 kg | 60 lbs



2.0 ERGO 230

CLEANROOM CLEANING SYSTEM WITH DOSING UNIT

- 1 plastic bucket 18 l with mop carrier (front | for new mops)
- 1 plastic bucket 18 l with mop wetting device (center | for fluid)
- 1 plastic bucket 18 l (rear | for mop discarding)
- Handle holder (side) and waste bag holder (rear) Dimensions (LxWxH)*:

2 plastic buckets each 6 l

Stainless steel discarding

(above | for storage)

- 65 x 70 x 105 cm | 26 x 28 x 41"
- Weight: 18 kg | 40 lbs

Item no. 2123016

Optimal for GMP C+D

*assembled sizes

Item no. 2123022

Optimal for GMP A/B

23

PurMop® Handles & Frames

Smooth, polished stainless steel surfaces ensure GMP conformity and long-term resistance against steam sterilization. The PurMop® plastic accessories are distinguished by their low weight and excellent user ergonomics. With their simple, largely touchless handling, clever quick-connect system, and full modularity, the PurMop® cleaning accessories set standards in cleanroom cleaning.



SEP140

FIXED HANDLE

STAINLESS STEEL

- Autoclavable, suitable for sterile cleanrooms
- Handle grip for ergonomic cleaning
- Quick-change system
- Length: 142 cm | 56" (fixed)

Item no. 2131003

Optimal for GMP A/B

SET2070

TELESCOPIC HANDLE MEDIUM LENGTH STAINLESS STEEL

- Autoclavable, suitable for sterile cleanrooms
- Handle grip for ergonomic cleaning
- Quick-change system
- Length: 77 cm 145 cm | 30 – 57" (adjustable)

Item no. 2131006

Optimal for GMP A/B

SET2100

TELESCOPIC HANDLE LONG STAINLESS STEEL

- Autoclavable, suitable for sterile cleanrooms
- Handle grip for ergonomic cleaning
- Quick-change system
- Length: 107 cm 205 cm | 42 – 81" (adjustable)

Item no. 2131005

Optimal for GMP A/B

SAK170

TELESCOPIC HANDLE MEDIUM LENGTH PLASTIC

- Quick-change system
- Easy length adjustment by the push of a button
- Disinfectant resistant
- Length: 115 cm 173 cm | 45 – 68"

Item no. 2131007

Optimal for GMP C+D

PurMop®

MOP **FRAMES**

Stainless Steel | Plastic



Compatible with:

PurMop® 40 cm mops | 16"

Compatible with PurMop®

→ KEK40 Light | p. 12

stainless steel handles

KEK40

FOLDABLE MOP FRAME | STAINLESS STEEL

- Autoclavable, suitable for sterile cleanrooms
- Quick-change system
- Can be locked for overhead cleaning

Item no. 2151008

Optimal for GMP A/B

KKV40

FOLDABLE MOP FRAME | PLASTIC

- Quick-change system
- Disinfectant resistant
- Smooth, easy to clean plastic Can be locked for overhead
- cleaning

Item no. 2151005

Optimal for GMP C+D

- Compatible with: PurMop® 40 cm mops | 16"
- Compatible with handle

PurMop® Cleanroom Mops

The mop head is the centerpiece of every cleanroom mopping system. Its task is to effectively remove surface contamination as well as to evenly distribute disinfectant solution. Cleanroom mops should be easy to handle, clean and cleanroom suitable at every usage, while still being cost-effective. PurMop® disposable mops combine all of these features perfectly.

PurMop[®]

EF 40

Disposable Cleanroom Mop

Polyester-Microfiber


- 3D cleaning material for enhanced performance
- Exceptional cleaning performance due to high-tech microfiber
- High surface coverage due to integrated fluid reservoir
- Good gliding and handling properties on most flooring types

EF40

- Size: 40 cm | 16"
- Packing: 5 mops/pack 20 packs / carton [100 mops]

Item no. 2111108

Optimal for GMP C+D



PurMop® **EFB**

40

Disposable Cleanroom Mop


Polyester-Microfiber + Scrub Stripes

- 3D cleaning material for good particle pick-up
- Polyester scrub stripes for removal of residues
- High-tech microfiber for retention of particles
- Superior gliding and handling properties

EFB40

- Size: 40 cm | 16"
- Packing: 5 mops/pack 20 packs / carton [100 mops]

Item no. 2111117



70% Polyester-Microfiber 30% Polyester scrub stripes **INCREASED CLEANING ABILITY**



PurWipe® Nonwoven Wipes | N-Series

PurWipe® N-Series cleanroom wipes consist of cleanroom suitable nonwoven materials and are suitable for a wide range of applications – from disinfection to surface cleaning. They are primarily designed to be used in cleanrooms with lower classification and non-sterile areas.

PurWipe®

Cleanroom Wipe

Polyester-Cellulose Nonwoven

- High quality, hydroentangled nonwoven material
- Highly absorbent material
- Suited for disinfection of smooth surfaces and liquid absorption
- Recommended for general cleaning tasks in lower certified cleanrooms

N1-109

- Size: 23 x 23 cm | 9 x 9"
- Edges: cut
- Packing: 300 wipes/pack 10 packs / carton [3.000 wipes]

Item no. 2183100

Optimal for GMP D

$68 \, \text{g/m}^2$ 55% Cellulose 45% Polyester

N1-112

- Size: 30 x 30 cm | 12 x 12"
- Edges: cut
- Packing: 300 wipes/pack 10 packs / carton [3.000 wipes]

Item no. 2183102 Optimal for GMP D

PurWipe®

Cleanroom Wipe

Polyester-Polyamide-Microfiber Nonwoven

- Highly durable and tear resistant material
- 100% synthetic microfiber nonwoven material (free of cellulose and natural fibers)
- High absorbency and excellent cleaning efficiency
- Enormously tear-resistant, therefore particularly suitable on stainless steel
- Optimal removal of particles and contamination of almost any kind, even sticky substances


- Size: 23 x 23 cm | 9 x 9"
- Edges: cut

N2-109

- Packing:
- 100 wipes / pack 20 packs / carton [2.000 wipes]

Item no. 2183500

Optimal for GMP C+D



N2-112

- Size: 30 x 30 cm | 12 x 12"
- Edges: cut
- Packing:
 - 100 wipes/pack 20 packs / carton [2.000 wipes]

Item no. 2183502

Optimal for GMP C+D

FAQ

Questions and Answers

PurMop® ERGO

1. What is so special about the ERGO Cleaning System?

PurMop® ERGO enables a completely touch-free mopping process in just 3 steps:



MOP PICK UP

The mop carrier enables a fresh mop to be picked up without hand contact



·····

A defined amount of liquid is applied to the mop and distributed evenly within a few



WIPIN

Cleaning or disinfecting the surface (floor / wall / ceiling). PurMop® cleanroom mops ensure a sufficient and even fluid distribution for optimal cleaning



MOP DISCAR

The discarding mechanism enables a touchless discarding of the used mop (either at the front or rear of the

The operator does not have any manual contact with fresh or used mops or the mop frame at any time. In addition, all steps are carried out in a standing position, which meets ergonomic requirements.



PurMop® 2.0 ERGO-S User Video: www.youtube.com/HydroflexEN

2. What's the Difference between a Wringer System and ERGO?

With a wringer system, the impregnation level of the mop is strongly user-dependent and therefore cannot be validated. With the ERGO system, the mop is impregnated by means of a dosing unit and a dosing plate with a defined quantity of liquid. The impregnation is identical at every usage, for every user.

3. How is it possible to save Disinfectant with the ERGO System? Wringer System (two / three buckets system):

The mop is completely soaked by submerging it into the fluid. After this, up to 50% of the absorbed liquid is wrung out and disposed of unused.

Pre-Preparation / Box Systems:

Mops are highly saturated, with a high residual liquid remaining in the mop after use. In addition, it is almost impossible to ensure an even distribution of the liquid between all mops in the box, as they are stacked above each other.

With the **ERGO cleaning system**, the mop only absorbs the necessary liquid that is need for cleaning or disinfection. This can be individually defined.



1. What is special about the Production Process of PurWipe® V4?

V4 is manufactured in a cleanroom environment from the first step and undergoes multiple decontamination processes with 0,1 µm filtered water. After washing, it is dried in an ISO 5 class dryer and is tested extensively before being further processed. It is then saturated precisely with isopropanol 65% / ethanol 5% / pharma water 30%, and in some cases, sterilized. V4 is the perfect wiper for highest requirements in GMP A/B environments.

2. Is the Wipe BPR*-conform?

The liquid isopropanol 65% / ethanol 5% / pharma water 30% is registered according to the current national regulation in various countries. It is BAuA** approved. Please contact us for information if you are in a European country.

3. For which Cleanroom Classes is the Wipe Suitable?

We recommend the usage in GMP class A/B. In these critical areas no compromises should be made regarding the quality and the purity of the wipe.

PurMop® EF40-SV II

1. What are the Advantages of the Presaturated Mops?

PurMop® EF40-SV II is presaturated and ready-to-use. There is no need for a trolley system for presaturation. Furthermore, every mop is presaturated with the correct amount of liquid. Therefore, the usage of the Ready-To-Use mops is time saving and enables an easy and validatable process. The EF40-SV II convinces with his high cleaning ability and reliable disinfection.

2. Are Presaturated Mops more Expensive than Dry Ones?

The overall cost is at the same level if the overall costs for sterile mops and sterile (ready-to-use) disinfectant is considered. Additionally, working time and more tedious preparation work can be saved.

3. Which Areas is the EF40-SV II Recommended for?

In particular, we recommend the mop for daily routine in sterile GMP A/B clean-rooms and for intermediate cleaning and disinfection requirements.

4. Do the Mops Conform to BPR?

The liquid isopropanol 65% / ethanol 5% / pharma water 30% is registered according to the current national regulation. It is BAuA approved. Please contact us for information if you are in a European country.

*Biocidal Products Regulation
**Bundesanstalt für Arbeitsschutz und Arbeitsmedizin

